



DESCRIPTION:

Omega 58 is a controlled-purity lubricant developed for universal use in food-contact type industries. Its composition is based on a complex type of thickener and an advanced package of additives to offer high performance in purity lubrication.

PURITY STANDARD:

Omega 58 is considered by many maintenance engineers as "the" universal food-contact lubricant. Omega 58 withstands severe water wash (ASTM D1264) and does not alter under extreme temperature fluctuations. Its versatility provides the answer to the many current industrial equipment problems in the food and beverage industries.

SUPPLEMENTS:

Foam Inhibitors	Yes
Anti-oxidants	Yes
Anti-odorants	Yes
Wear Resistors	Yes
Biodegradable Materials	Yes
Demulsifiers	Yes
Dyes	Yes
Extreme-Pressure Properties	Yes
Metal Deactivators	Yes
Minerals	Yes
Phenol-Alpha Trivenalyamine	Yes
Rust Preventatives	Yes

HIGH OPERATING STANDARDS:

Omega 58 is capable of meeting extremely tough operating standards. Special rust and oxidation inhibitors prevent machinery deterioration and ensure long-term production. Acid neutralizers, by way of the unique Omega Megalite supplements, ensure that metal surfaces are provided with ultimate protection, while exhibiting no harmful or toxic effects in contact with food.

APPLICATIONS:

Omega 58 can be used in every industry where lubricant contact with food is likely to cause contamination problems. Omega 58 is applied to Steam Bottle Washing Plants, Hospitals, Veterinary Services, Wineries, Vegetable Sorting and Processing Industries, Fruit Packing Equipment, Restaurants and Hotels, where edible and health material is produced for eventual consumption.

Omega 58 is also ideal for abattoir and poultry handling systems.



OPIM58-1	Ver. 2.0	Rev. 4.0
Rev. Date: 14 Feb 2022		
Reference: CKL		

TYPICAL DATA:

TEST	ASTM TEST METHOD	TEST RESULT	
Blend Synthetic Oil Base: -		NLGI #2	NLGI #0
Viscosity, cSt @40°C	D-455	100	100
Flash Point, COC, °C (°F) min.	D-92	>200(392)	>200(392)
Pour Point, °C (°F) max.	D-97	<-40(-40)	<-40(-40)
Drop Point, °C (°F)	D-2265	>230(446)	N.A.
Worked Penetration, @77°F, 150 gm. Cone	D-217	265-295	-
Four Ball EP, Weld Point, Kgf	D-2596	500	500
Operating Temperature Range, °C (°F)		-40 to 165	-40 to 165
		(-40 to 329)	(-40 to 329)
Color	-	off White	off White

The characteristics given above are typical of current production only and slight batch to batch variations should be expected.





Omega 58 2019-02-12

Supersedes date: Product No.:

Product name:

ale.

 Page:
 1/11

 Last revised date:
 2022-10-06

 SDS-ID:
 GB-EN/8.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING** 1.1. Product identifier Omega 58 Product name: 1.2. Relevant identified uses of the substance or mixture and uses advised against Application: Lubricating grease. 1.3. Details of the supplier of the safety data sheet Supplier: **Trust Engineering Company** GB importer: Distributed by: Manufacturer: ITW PP & F Korea Limited 9 Abdel Hamid El Deeb Street 13th Fl., Unit B, PAX Tower Alexandria, 21613 Egypt 609 Eonju-ro, Gangnam-Gu T: +(20)3 5822779 T: +(20)10 1223554 Seoul, Korea 06108 5 Ahmed Shaker Street Fourth Zone Tel:+82-2-2088-3560 Nasr City, 11586 Egypt Fax:+82-2-513-3567 T:+(20)2 26909965 T: +(20)10 1223553 magna@magnagroup.com www.magnagroup.com info@trustengineering-eg.com www.trustengineering-eg.com

1.4. Emergency telephone number

Emergency telephone: NHS: 111

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

<u>CLP:</u>	The product is not classified.
2.2. Label elements	
	The substance/mixture does not meet the criteria for classification and labelling.
2.2 Other hererde	
2.3. Other hazards	
<u>PBT/vPvB:</u>	This product does not contain any PBT or vPvB substances.

 Other:
 Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. The harmful effects may increase in used grease. Greases are generally hazardous to the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

No classified ingredients, or those having occupational exposure limits, present above the levels of disclosure.

All substances in the product are either registered or exempt from registration under REACH.

Product name:	Omega 58	Page:	2/11
Supersedes date:	2019-02-12	Last revised date:	2022-10-06
Product No.:		SDS-ID:	GB-EN/8.0

SECTION 4: FIRST A	ID MEASURES
4.1. Description of first a	id measures
Inhalation:	Move into fresh air and keep at rest. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions.
<u>Skin contact:</u>	Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.
Ingestion:	Immediately rinse mouth and drink 1-2 glasses of water. Keep person under observation. If uncomfortable: Transportation to hospital. Bring along these instructions.
4.2. Most important symptoms and effects, both acute and delayed	
Symptoms/effects:	See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

<u>Medical attention/treatments:</u> Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media:Small fires: Extinguish with carbon dioxide or dry powder.Larger fires: Extinguish with foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

<u>Specific hazards:</u> During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective equipment for fire-	Selection of respiratory protection for fire fighting: follow the general fire
fighters:	precautions indicated in the workplace.
	Larger fires: Use air-supplied respirator during fire fighting. Wear full protective
	clothing.

Product name:	Omega 58	Page:	3/11
Supersedes date:	2019-02-12	Last revised date:	2022-10-06
Product No.:		SDS-ID:	GB-EN/8.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions:	Avoid contact with skin and eyes. Follow precautions for safe handling described
	in this safety data sheet.

6.2. Environmental precautions

Environmental precautions:	Do not discharge into drains, water courses or onto the ground.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up:	Shovel or sweep up. Clean contaminated area with oil-removing material.

6.4. Reference to other sections

References:	For personal protection, see section 8.
	For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice:	Observe good chemical hygiene practices. Avoid prolonged and repeated contact with grease, particularly used grease. Always remove grease with soap and water or skin cleaning agent, never use organic solvents.
Technical measures:	Work practice should minimise contact.
Technical precautions:	When working with heated grease, mechanical ventilation may be required.
7.2. Conditions for safe storage, including any incompatibilities	
Technical measures for safe storage:	No special precautions.
Storage conditions:	Store in tightly closed original container. Store away from: Oxidising material.

7.3. Specific end use(s)

Specific use(s): Not relevant.

Product name:	Omega 58	Page:	4/11
Supersedes date:	2019-02-12	Last revised date:	2022-10-06
Product No.:		SDS-ID:	GB-EN/8.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

This/these substance(s) is/are subject to an Occupational Exposure Limit and may present an inhalation risk if present as dust or fume. This is not relevant to the current physical state of the product, which is not in a respirable form.

Occupational exposure limits:

CAS-No.:	Chemical name:	<u>As:</u>	Exposure limits:	<u>Type:</u>	Notes:	References:
13463-67-7	Titanium dioxide, tota inhalable dust	al -	10 mg/m3	TWA	-	EH40
13463-67-7	Titanium dioxide, respirable dust	-	4 mg/m3	TWA	-	EH40
8.2. Exposur	<u>e controls</u>					
Engineering	measures:		ventilation. When working required. Provide access fatty cream.		-	
Personal pro	tection:	-	n equipment should be ch iscussion with the supplie		-	
Respiratory e	equipment:	In case of inadequ	ate ventilation use suitab	le respirato	r.	
Hand protect	<u>iion:</u>	min. The most suitable	oves. ecommended. Thickness glove must be chosen in inform about the breakthr	consultatio	n with the	gloves
Eye protectio	on:	Risk of contact: We	ear goggles/face shield.			
Skin protection	on:	No special precaut	ions.			
<u>Hygiene mea</u>	asures:		ated clothing and wash th Vash contaminated clothi			h soap and
<u>Environment</u> <u>Controls:</u>	al Exposure	Not available.				

Product name:	Omega 58	Page:	5/11
Supersedes date:	2019-02-12	Last revised date:	2022-10-06
Product No.:		SDS-ID:	GB-EN/8.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties Physical state: Grease. Colour: White. Odour: Odourless. Odour threshold: Not relevant. <u>pH:</u> Not relevant. Melting point / freezing point: Not determined. Boiling point: Not available. Flash point: Not applicable. Evaporation rate: Not available. Not available. Flammability (solid, gas): Explosive limits Not relevant. Vapour pressure: 0.85 @ 25°C Vapour density: Not relevant. Relative density: Not available. Insoluble in water. Solubility: Partition coefficient (n-Not available. octanol/water): Auto-ignition Not available. temperature (°C): Decomposition Not available.

Not applicable. Non-explosive

Non-oxidising

Not available.

temperature (°C):

Explosive properties:

Oxidising properties: 9.2. Other information

Viscosity:

Other data:

Product name:	Omega 58	Page:	6/11
Supersedes date:	2019-02-12	Last revised date:	2022-10-06
Product No.:		SDS-ID:	GB-EN/8.0

SECTION 10: STABILITY	AND REACTIVITY	
10.1. Reactivity		
Reactivity:	Not reactive.	
10.2. Chemical stability		
<u>Stability:</u>	Stable under normal temperature conditions.	
10.3. Possibility of hazardous	s reactions	
Hazardous Reactions:	None known.	
10.4. Conditions to avoid		
Conditions to avoid	None known.	
10.5. Incompatible materials		
Incompatible materials:	Avoid contact with: Oxidising materials.	
10.6. Hazardous decomposition products		
Hazardous decomposition products:	None under normal conditions.	

Product name:	Omega 58	Page:	7/11
Supersedes date:	2019-02-12	Last revised date:	2022-10-06
Product No.:		SDS-ID:	GB-EN/8.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicolog	ical effects
Acute Toxicity (Oral):	Based on available data, the classification criteria are not met.
Acute Toxicity (Dermal):	Based on available data, the classification criteria are not met.
Acute Toxicity (Inhalation):	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.
<u>Respiratory or skin</u> sensitisation:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive Toxicity:	Based on available data, the classification criteria are not met.
STOT - Single exposure:	Based on available data, the classification criteria are not met.
STOT - Repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Inhalation:	Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing.
Skin contact:	Degreasing. Prolonged or frequent contact may cause redness, itching, irritation, eczema, skin cracking and oil acne.
<u>Eye contact:</u>	Direct contact may irritate.
Ingestion:	May irritate and cause malaise.
Specific effects:	The harmful effects may increase in used grease.

11.2. Information on other hazards

Endocrine disrupting	The product does not contain any substance identified as having endocrine
properties:	disrupting properties.

Product name:	Omega 58	Page:	8/11
Supersedes date:	2019-02-12	Last revised date:	2022-10-06
Product No.:		SDS-ID:	GB-EN/8.0
SECTION 12: ECOLOGICA	AL INFORMATION		
12.1. Toxicity			
Ecotoxicity:	Greases are generally hazardous to the enviro	nment.	
12.2. Persistence and degrada	ability		
Degradability:	There are no data on the degradability of this p	product.	
12.3. Bioaccumulative potentia	<u>al</u>		
Bioaccumulative potential:	No data available on bioaccumulation.		
12.4. Mobility in soil			
Mobility:	No data available.		
12.5. Results of PBT and vPv	<u>3 assessment</u>		
<u>PBT/vPvB:</u>	This product does not contain any PBT or vPv	B substances.	
12.6. Endocrine disrupting pro	<u>perties</u>		
Endocrine disrupting properties:	The product does not contain any substance in disrupting properties.	lentified as having endoo	crine
12.7. Other adverse effects			
Other adverse effects:	None known.		
SECTION 13: DISPOSAL (CONSIDERATIONS		
13.1. Waste treatment method	<u>Is</u>		
Dispose of waste and residues	s in accordance with local authority requirement	S.	
Waste from residues:	EWC-code: 13 02 08		

<u>Contaminated packaging:</u> Dispose of contaminated packings as residue.

Product name:	Omega 58	Page:	9/11
Supersedes date:	2019-02-12	Last revised date:	2022-10-06
Product No.:		SDS-ID:	GB-EN/8.0

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

<u>14.1. UN number</u>

UN-No:

14.2. UN proper shipping name

Proper Shipping Name:

14.3. Transport hazard class(es)

Class:

14.4. Packing group

<u>PG:</u>

14.5. Environmental hazards

Marine pollutant:

Environmentally Hazardous -

substance:

14.6. Special precautions for user

Special precautions: Not relevant.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant.

Product name:	Omega 58	Page:	10/11
Supersedes date:	2019-02-12	Last revised date:	2022-10-06
Product No.:		SDS-ID:	GB-EN/8.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>National regulation:</u>	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, with amendments. Statutory Instruments 2008 No. 2852 - The REACH Enforcement Regulations 2008. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 720), as amended
	The Chemicals (Health and Safety) and Genetically Modified Organisms
	European Union (Withdrawal) Act 2018, as amended. EH40/2005, Workplace exposure limits 2005, with amendments. The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status:

No chemical safety assessment has been carried out.

Product name:	Omega 58	Page:	11/11
Supersedes date:	2019-02-12	Last revised date:	2022-10-06
Product No.:		SDS-ID:	GB-EN/8.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions. The following sections contain revisions or new statements: 1, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.

Omega Manufacturing Division 13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108 Tel : +82-2-2088-3560 Fax : +82-2-513-3567 Web site : www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

Abbreviations and acronyms	CSA= Chemical Safety Assessment.
used in the safety data sheet:	PBT = Persistent, Bioaccumulative and Toxic.
	vPvB = very Persistent and very Bioaccumulative.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.