



Omega

The Ultimate Lubricant

73

DESCRIPTION:


Omega 73 is a special, weather and water resistant open gear lubricant that clings tenaciously in position regardless of wind, rain, sleet, snow, sun, dust storms and other climatic phenomena. It provides the additional protection needed for gears and gear systems that ordinary gear greases fail to provide. Ordinary greases rapidly develop into collective deposits that harden and cause frictional-drag and excessive energy consumption. Omega 73 remains in position and keeps the system and the gears in silent mesh.



HYDRODYNAMIC STABILITY:

Omega 73 provides a hydrodynamic "liquid wedge" between gear wear areas. This 'bed' of highly micronized bearings provides minimum friction for intermeshing teeth and shafts / pinions.

Ordinary lubricant deposits build up and rapidly develop into hard spots that score, gel, gall or claw metal surfaces.



NOTE:

The criterion of a good gear lubricant is based on its ability to separate the loading from one pair of gears to another in a multiple gear set. All frictional surfaces within any one gear system - including the gear shaft bearings - are lubricated from one common source. If severe wear and its resulting downtime are to be avoided, no lubricant compromise can be made. Omega 73 is a specially developed waterproof open gear lubricant, designed to provide multiple protection to most open gear systems - without compromise!

CAPILLARY ACTION:

Omega 73 has a capillary action that spreads over metal surfaces and into wear areas. This action prevents or reduces: -

wiping
sliding

scuffing
pitting

galling
scoring

rippling
clawing

These wear aspects are common with the use of ordinary greases.

SUPERB ADHESIVENESS:

Ordinary greases are unable to resist the "Rate of slide relative to pressure & Centrifugal Force" in open gear mechanism applications. This causes the grease to squeeze out or fling off, leaving the metal surfaces exposed to corrosion, oxidation and metal-to-metal wear.

Omega 73 has an affinity for metal and clings to the gears!



APPLICATION:

Omega 73 has unlimited applications in open gear equipment: Cranes, hoists, wind-pumps, water pumps, winches, heavy equipment, timber drags, rail pulleys, funiculars, cable ways, ski lifts and thousands more.



EXTREME-PRESSURE & CORROSION RESISTANCE:

Omega 73 is loaded with special heavy-duty Extreme Pressure (EP) and anti-corrosion supplements. These resist:-

| | | |
|-------------|-------------------|-------------------|
| Shock | Loading | Pressure |
| Meshing | Brake seizure | Ratio alterations |
| Squeeze-out | Start-up pressure | Corrosion |

EXTRA CUSHIONING PROPERTY:

Omega 73's cushioning property (due to its package of thickener and highly refined base fluid) provides extra protection to the open gears against metal-to-metal wear. In addition, this reduces the vibration and noise levels that are potentially damaging to the open gear units and annoying to the personnel working around them.

TEXTURE RETENTION:

Unlike ordinary greases that easily harden, Omega 73 retains its original soft texture. Ordinary greases thin down and squeeze out, even under slight temperature increases. Omega 73 retains its texture and stays in position. It seals out the dust that causes wear in locations where just such conditions prevail:

| | | |
|--------------|--------|------------------|
| Construction | Mining | Stone Quarries |
| Dam Building | Farms | Land Reclamation |

TYPICAL DATA:

| TEST | ASTM TEST METHOD | TEST RESULT |
|-------------------------------------|------------------|----------------------------|
| Color | - | Black |
| Texture | - | Smooth & Tacky |
| Mineral Oil Base: - | | |
| Viscosity, cSt at 100°C | D-455 | 72 |
| Viscosity, cSt at 40°C | D-455 | 1,488 |
| Viscosity Index, min. | D-2270 | 111 |
| Flash point, °C (°F) | D-92 | 254 (489) |
| Pour point, °C (°F) | D-97 | -12 (10.4) |
| Dropping Point, °C (°F) | D-2265 | None |
| Shell Roll Stability, Point Change | D-1831 | 6.0 |
| Timken OK load, lbs. min. | D-2509 | 40 |
| Rust Prevention | D-1743 | Pass |
| Oil Separation, 500 hrs. | D-1742 | No trace |
| Worked Penetration @77°F | D-217 | 265-295 |
| Operating Temperature Range °C (°F) | - | -8 to 200 (17.6 to 392) |

The characteristics given above are typical of current production only and slight batch to batch variations should be expected.

SAFETY DATA SHEET



Product name: Omega 73
Supersedes date: 2019-02-19
Product No.:

Page: 1/11
Last revised date: 2023-01-19
SDS-ID: GB-EN/8.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: Omega 73
Container size: 300 g, 5 kg, 15 kg & 55 kg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Lubricating grease.
Identified use(s): For professional users only.

1.3. Details of the supplier of the safety data sheet

| | | | |
|--|--|--|---------------------------|
| <u>Supplier:</u> | GB importer: | <u>Distributed by:</u> | Trust Engineering Company |
| <u>Manufacturer:</u> | ITW PP & F Korea Limited 13th Fl., Unit B, PAX Tower 609 Eonju-ro, Gangnam-Gu Seoul, Korea 06108 Tel:+82-2-2088-3560 Fax:+82-2-513-3567 magna@magnagroup.com www.magnagroup.com | 9 Abdel Hamid El Deeb Street Alexandria, 21613 Egypt T: +(20)3 5822779 T: +(20)10 1223554 5 Ahmed Shaker Street Fourth Zone Nasr City, 11586 Egypt T: +(20)2 26909965 T: +(20)10 1223553 info@trustengineering-eg.com www.trustengineering-eg.com | |
| <u>Further information can be obtained from:</u> | magna@magnagroup.com | | |

1.4. Emergency telephone number

Emergency telephone: Call a Poison Center, emergency number or doctor/physician.
NHS: 111

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP: The product is not classified.

2.2. Label elements

The substance/mixture does not meet the criteria for classification and labelling.

2.3. Other hazards

PBT/vPvB: This product does not contain any PBT or vPvB substances.

Other: Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. The harmful effects may increase in used grease.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET

Product name: Omega 73 Page: 2/11
Supersedes date: 2019-02-19 Last revised date: 2023-01-19
Product No.: SDS-ID: GB-EN/8.0

3.2. Mixtures

The product contains: mineral oil and additives.

All substances in the product are either registered or exempt from registration under REACH.

CLP:

| <u>%:</u> | <u>CAS-No.:</u> | <u>EC No.:</u> | <u>REACH Reg. No:</u> | <u>Chemical name:</u> | <u>Hazard classification:</u> | <u>Notes:</u> |
|-----------|-----------------|----------------|-----------------------|---|-------------------------------|---------------|
| 50-75 | 64742-62-7 | 265-166-0 | 01-2119480472-38 | Residual oils (petroleum), solvent-dewaxed; Baseoil-unspecified | - | L |
| 10-20 | 1333-86-4 | 215-609-9 | - | Carbon black | - | # |
| 7-10 | 1317-65-3 | 215-279-6 | - | Limestone | - | # |
| 1-2.5 | 7782-42-5 | 231-955-3 | - | Graphite | - | # |
| 1-2.5 | 1317-33-5 | 215-263-9 | - | Molybdenum disulphide | - | # |

Notes:

#: The substance has been assigned an exposure limit.

L: DMSO < 3% (IP 346)

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| | |
|----------------------|---|
| <u>Inhalation:</u> | Move into fresh air and keep at rest. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions. |
| <u>Skin contact:</u> | Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions. |
| <u>Eye contact:</u> | Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions. |
| <u>Ingestion:</u> | Immediately rinse mouth and drink 1-2 glasses of water. Keep person under observation. If uncomfortable: Transportation to hospital. Bring along these instructions. |

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 73 | Page: | 3/11 |
| Supersedes date: | 2019-02-19 | Last revised date: | 2023-01-19 |
| Product No.: | | SDS-ID: | GB-EN/8.0 |

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.
Small fires: Extinguish with carbon dioxide or dry powder.
Larger fires: Extinguish with foam, carbon dioxide or dry powder.
Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards: During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid contact with skin and eyes. Follow precautions for safe handling described in this safety data sheet.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with oil-absorbing material. Clean contaminated area with oil-removing material.

6.4. Reference to other sections

References: For personal protection, see section 8.
For waste disposal, see section 13.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 73 | Page: | 4/11 |
| Supersedes date: | 2019-02-19 | Last revised date: | 2023-01-19 |
| Product No.: | | SDS-ID: | GB-EN/8.0 |

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Observe good chemical hygiene practices. Avoid prolonged and repeated contact with grease, particularly used grease. Always remove grease with soap and water or skin cleaning agent, never use organic solvents.

Technical measures: Work practice should minimise contact.

Technical precautions: When working with heated grease, mechanical ventilation may be required.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: No special precautions.

Storage conditions: Store in tightly closed original container in a dry, cool and well-ventilated place. Protect against direct sunlight.

7.3. Specific end use(s)

Specific use(s): No information available.

SAFETY DATA SHEET

Product name: Omega 73 Page: 5/11
Supersedes date: 2019-02-19 Last revised date: 2023-01-19
Product No.: SDS-ID: GB-EN/8.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

| <u>CAS-No.:</u> | <u>Chemical name:</u> | <u>As:</u> | <u>Exposure limits:</u> | <u>Type:</u> | <u>Notes:</u> | <u>References:</u> |
|-----------------|---------------------------------|------------|-------------------------|--------------|---------------|--------------------|
| 7782-42-5 | Graphite, inhalable dust | - | 10 mg/m3 | TWA | - | EH40 |
| 1333-86-4 | Carbon black | - | 3.5 mg/m3 | TWA | - | EH40 |
| | | - | 7 mg/m3 | STEL | 15min | |
| 1317-33-5 | Molybdenum insoluble compounds | Mo | 10 mg/m3 | TWA | - | EH40 |
| | | - | 20 mg/m3 | STEL | 15min | |
| 1317-65-3 | Limestone, total inhalable dust | - | 10 mg/m3 | TWA | - | EH40 |

Notes:

EH40: EH40/2005.

8.2. Exposure controls

Engineering measures:

Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours. When working with heated grease, mechanical ventilation may be required. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.

Personal protection:

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment:

In case of inadequate ventilation use suitable respirator. Use respiratory equipment with particle filter, type P2.

Hand protection:

Risk of contact: Wear protective gloves. Nitrile gloves are recommended. Breakthrough time: > 4h; Thickness: > 0.3 mm
The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection:

Risk of contact: Wear goggles/face shield.

Hygiene measures:

Wash hands after handling.

Environmental Exposure Controls:

Not available.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 73 | Page: | 6/11 |
| Supersedes date: | 2019-02-19 | Last revised date: | 2023-01-19 |
| Product No.: | | SDS-ID: | GB-EN/8.0 |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state: Viscous liquid. / Grease.

Colour: Black.

Odour: Characteristic.

Odour threshold: Not available.

pH: Not relevant.

Melting point / freezing point: Not available.

Boiling point: Not available.

Flash point: >265 °C

Evaporation rate: Not relevant.

Flammability (solid, gas): Not applicable.

Explosive limits Not available.

Vapour pressure: Not available.

Vapour density: Not available.

Relative density: 1.21

Solubility: Insoluble in water.

Partition coefficient (n-octanol/water): Not available.

Auto-ignition temperature (°C): Not available.

Decomposition temperature (°C): Not available.

Viscosity: Not available.

Explosive properties: Non-explosive

Oxidising properties: Not available.

9.2. Other information

Other data: Not available.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 73 | Page: | 7/11 |
| Supersedes date: | 2019-02-19 | Last revised date: | 2023-01-19 |
| Product No.: | | SDS-ID: | GB-EN/8.0 |

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: Not reactive.

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions to avoid Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Incompatible materials: Strong acids. Strong alkalis. Strong oxidising substances.

10.6. Hazardous decomposition products

Hazardous decomposition products: None in particular.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 73 | Page: | 8/11 |
| Supersedes date: | 2019-02-19 | Last revised date: | 2023-01-19 |
| Product No.: | | SDS-ID: | GB-EN/8.0 |

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral): Based on available data, the classification criteria are not met.

Acute Toxicity (Dermal): Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: Based on available data, the classification criteria are not met.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Inhalation: Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing.

Skin contact: Degreasing. Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping.

Eye contact: Direct contact may irritate.

Ingestion: May irritate and cause malaise.

Specific effects: Prolonged or repeated contact with used grease may cause serious skin diseases, such as dermatitis. The harmful effects may increase in used grease.

11.2. Information on other hazards

Endocrine disrupting properties: The product does not contain any substance identified as having endocrine disrupting properties.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 73 | Page: | 9/11 |
| Supersedes date: | 2019-02-19 | Last revised date: | 2023-01-19 |
| Product No.: | | SDS-ID: | GB-EN/8.0 |

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity: Greases are generally hazardous to the environment.

12.2. Persistence and degradability

Degradability: The product is expected to be slowly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: This product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

Endocrine disrupting properties: The product does not contain any substance identified as having endocrine disrupting properties.

12.7. Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 20 01 26

Contaminated packaging: Dispose of contaminated packings as residue.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 73 | Page: | 10/11 |
| Supersedes date: | 2019-02-19 | Last revised date: | 2023-01-19 |
| Product No.: | | SDS-ID: | GB-EN/8.0 |

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

14.1. UN number

UN-No: -

14.2. UN proper shipping name

Proper Shipping Name: -

14.3. Transport hazard class(es)

Class: -

14.4. Packing group

PG: -

14.5. Environmental hazards

Marine pollutant: -

Environmentally Hazardous substance: -

14.6. Special precautions for user

Special precautions: Not relevant.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation: UK Statutory Instruments, 2021 No. 904, CONSUMER PROTECTION ENVIRONMENTAL PROTECTION HEALTH AND SAFETY. The REACH etc. (Amendment) Regulations 2021.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.
The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 720), as amended.
EH40/2005, Workplace exposure limits 2005, with amendments.
The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status: No chemical safety assessment has been carried out.

SAFETY DATA SHEET

| | | | |
|------------------|------------|--------------------|------------|
| Product name: | Omega 73 | Page: | 11/11 |
| Supersedes date: | 2019-02-19 | Last revised date: | 2023-01-19 |
| Product No.: | | SDS-ID: | GB-EN/8.0 |

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 15, 16.

Omega Manufacturing Division
13th floor, Unit B, PAX Tower, 609 Eonju-ro,
Gangnam-Gu, Seoul, Korea 06108
Tel : +82-2-2088-3560
Fax : +82-2-513-3567
Web site : www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

Abbreviations and acronyms

used in the safety data sheet: CSA= Chemical Safety Assessment.
PBT = Persistent, Bioaccumulative and Toxic.
vPvB = very Persistent and very Bioaccumulative.

Additional information: Classification according to Regulation (EC) No. 1272/2008: Calculation method.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.
www.dhigroup.com.
