

DESCRIPTION:

Omega 907 is a specially formulated engine and compressor flushing compound that removes all harmful deposits in an engine with addition, and prior to flushing of old oil. This complete removal of accumulated sludge, through the use of Omega 907 Engine Flush enables the new oil to function at its peak performance, and thus protect and lubricate the engine parts to best effect.

WHAT HAPPENS WITHOUT OMEGA 907:

The increasingly high performance of more critically-designed engines means that engine oils have to work much harder to keep the engine operating smoothly. The highly competitive nature of most industries leads vehicle operators to stretch service intervals and operating loads to the maximum.

Modern engine oils are designed with complex additive packages that are produced with in-built limits of operating life. When such limits are exceeded, or if the oil is subject to operating in extreme conditions, the additives break down and no longer provide the engine with proper protection.

- 1. Anti-wear agents break-up and metallic engine parts start throwing off minute chips and particles that are circulated by the overworked engine oil.
- 2. Corrosion Inhibitors are progressively weakened until the acids formed by the chemical combustion cycle residue start to attack rings, valves, cylinders, walls, bearings, etc.
- 3. The Detergents and Dispersants lose their ability to keep the engine sludge in suspension due to 'overload', and deposits start to adhere and gum to parts, eventually forming varnish with operating heat.
- 4. The complex by-products of the above additive deterioration are circulated throughout the engine and valves, leading to a vicious cycle of engine parts attrition.
- 5. The Glycol anti-freeze agent in motor oil starts destroying the additives, and the engine's performance gradually deteriorates until complete failure results.

WHAT HAPPENS DURING A NORMAL OIL CHANGE:

As motor oil additives reach the end of their operating life, through overwork, there are literally dozens of engine damaging impurities in suspension (if the detergents are still functioning) or coating the whole engine.

A normal engine oil change flushes away part of the suspended impurities but leaves at least a pint (600 ml) of the old oil within the sump, coating engine surfaces, and, in severe cases, gumming up engine parts.

When a new oil is added during a normal oil change, the impurities in the old oil and those still coating the engine parts immediately start to react with the new oil's additives. The new oil's additives are put immediately to use combating the impurities of the old oil, and cannot, therefore, even provide engine protection at the very start of its operating life!

The new oil provides a diminished level of protection from the beginning of its service life and, in severe cases, no protection at all! With every successive oil change, the condition worsens until an engine seizure takes place.



OPIM907-1	Ver. 2.0	Rev. 3.0
Rev. Date: 2 Jan 2019		
Reference: CKL		

WHEN YOU USE OMEGA 907:

Omega 907, when added to old oil just prior to drainage, will immediately act on the gumming and varnish deposits on all engine parts to quickly destroy their metallic adhesion and suspend them in the tired oil for easy removal with drainage.

Omega 907's specially formulated neutralizing action, combats acid conditions prevalent in the residue oil, to prevent corrosive damage. Omega 907 also breaks down glycol and its resultant residues, to protect the engine parts from the anti-lubrication properties inherent to glycol.

Omega 907, unlike ordinary flushes, is added to an operating engine and thus also removes varnish and deposits from valves and hydraulic lifters, to ensure proper post-application operation.

The all-encompassing cleaning and flushing properties of Omega 907 help ensure that when the Omega 907-treated old oil is drained from crankcases, all harmful residues are removed as well. This in turn enables the new motor oil, added after drainage, to perform properly without being subject to immediate deterioration caused by old oil impurities remaining in the engine.

APPLICATION:

For Engines:

- 1. Turn engine off after attaining normal operating temperature.
- 2. Add 300ml of Omega 907 to every 4 6 litres of engine oil capacity.
- 3. Start and Idle engine for 10 minutes, then drain crankcase while hot.
- 4. Replace oil plug, change filters and add fresh new Omega engine oil.
- 5. Repeat application every 10,000 km or with each oil change to ensure maximum engine protection.

For Compressors:

- 1. Add 10% by volume Omega 907 to the existing compressor oil.
- 2. Run compressor at low loading for 30 minutes.
- 3. Drain and refill with new oil.



Omega 907

2019-04-04



Product name:
Supersedes date:
Product No.:

 Page:
 1/11

 Last revised date:
 2022-12-29

 SDS-ID:
 GB-EN/9.0

SECTION 1: IDENTIFIC COMPANY/UNDERTAK	ATION OF THE SUBSTANC	E/MIXTURE ANI	D OF THE
1.1. Product identifier			
Product name:	Omega 907		
<u>UFI:</u>	FVG2-D0QJ-P006-1VYH		
<u>Container size:</u>	300 ml, 5 l		
1.2. Relevant identified use	es of the substance or mixture ar	nd uses advised ag	<u>jainst</u>
Application:	Rinsing of engines.		
1.3. Details of the supplier	of the safety data sheet		
Supplier:	GB importer:	Distributed by:	Trust Engineering Company
<u>Manufacturer:</u>	ITW PP & F Korea Limited 13th Fl., Unit B, PAX Tower 609 Eonju-ro, Gangnam-Gu Seoul, Korea 06108 Tel:+82-2-2088-3560 Fax:+82-2-513-3567 magna@magnagroup.com		9 Abdel Hamid El Deeb Street Alexandria, 21613 Egypt T: +(20)3 5822779 T: +(20)10 122355 5 Ahmed Shaker Street Fourth Zone Nasr City, 11586 Egypt T:+(20)2 26909965 T: +(20)10 12235
	www.magnagroup.com		info@trustengineering-eg.com
1.4. Emergency telephone			· · · · · ·
Emergency telephone:	Call a Polson Center, emerg	Call a Poison Center, emergency number or doctor/physician. NHS: 111	
SECTION 2: HAZARDS			
2.1. Classification of the su	ubstance or mixture		
<u>CLP:</u>	The product is not classified		
<u>2.2. Label elements</u>	The substance/mixture does	s not meet the crite	ria for classification and labelling.
2.3. Other hazards			
<u>PBT/vPvB:</u>	This product does not conta	in any PBT or vPv	B substances.
<u>Other:</u>	Degreasing to skin. Prolonged or repeated contact with skin may cause redness, itching, irritation, eczema, skin cracking and oil acne. The harmful effects may increase in used oil.		
SECTION 3. COMPOSI		GREDIENTS	

3.2. Mixtures

Product name:	Omega 907	Page:	2/11
Supersedes date:	2019-04-04	Last revised date:	2022-12-29
Product No.:		SDS-ID:	GB-EN/9.0

All substances in the product are either registered or exempt from registration under REACH.

CLP:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
100	64742-54-7	265-157-1	-	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil- unspecified	-	L
Notes:		L: DMSO <	3% (IP 346)			

SECTION 4: FIRST AID MEASURES

4.1. Description of first a	<u>id measures</u>
Inhalation:	Unlikely route of exposure. IF INHALED: Move into fresh air and keep at rest. In case of persistent throat irritation or coughing or after inhalation of oil mist: Seek medical attention and bring along these instructions.
<u>Skin contact:</u>	Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.
Ingestion:	Immediately rinse mouth and drink 1-2 glasses of water. Keep person under observation. If uncomfortable: Transportation to hospital. Bring along these instructions.
4.2. Most important sym	ptoms and effects, both acute and delayed
Symptoms/effects:	See section 11 for more detailed information on health effects and symptoms.
4.3. Indication of any imi	mediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

Product name:	Omega 907	Page:	3/11
Supersedes date:	2019-04-04	Last revised date:	2022-12-29
Product No.:		SDS-ID:	GB-EN/9.0

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media	
Extinguishing media:	Small fires: Extinguish with carbon dioxide or dry powder. Larger fires: Extinguish with foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising fr	om the substance or mixture
<u>Specific hazards:</u>	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Protective equipment for fire- fighters:	Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.
SECTION 6: ACCIDENTAL	RELEASE MEASURES
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions:	Avoid inhalation of oil mist and contact with skin and eyes. Follow precautions for safe handling described in this safety data sheet.
6.2. Environmental precaution	<u>s</u>
<u>Environmental</u> precautions:	Do not discharge into drains, water courses or onto the ground.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up:	Absorb spillage with oil-absorbing material. Clean contaminated area with oil- removing material.
6.4. Reference to other section	<u>ns</u>
<u>References:</u>	For personal protection, see section 8. For waste disposal, see section 13.

Product name:	Omega 907	Page:	4/11
Supersedes date:	2019-04-04	Last revised date:	2022-12-29
Product No.:		SDS-ID:	GB-EN/9.0

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe hand	ling
Safe handling advice:	Observe good chemical hygiene practices. Avoid contact with eyes and prolonged skin contact. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.
Technical measures:	Work practice should minimise contact. Use work methods which minimise oil mist production.
Technical precautions:	When working with heated oil, mechanical ventilation may be required.
7.2. Conditions for safe storag	e, including any incompatibilities
Technical measures for safe storage:	No special precautions.
Storage conditions:	Store in tightly closed original container.
7.3. Specific end use(s)	
<u>Specific use(s):</u>	Lubricant.

Product name:	Omega 907	Page:	5/11
Supersedes date:	2019-04-04	Last revised date:	2022-12-29
Product No.:		SDS-ID:	GB-EN/9.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No occupational exposure limit assigned.

82	Exposure	controls
0.2.	Exposure	001101010

Engineering measures:	Provide adequate ventilation and minimise the risk of inhalation of vapours and oil mist. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.
Personal protection:	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Respiratory equipment:	In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with combination filter (type A2/P3) can be used.
Hand protection:	Wear protective gloves. Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable. Breakthrough time: > 4h; Thickness: > 0.3 mm The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.
Eye protection:	Risk of contact: Wear goggles/face shield.
Skin protection:	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures:	Wash hands after contact. Wash contaminated clothing before reuse.
Environmental Exposure Controls:	Not available.

Product name:	Omega 907	Page:	6/11
Supersedes date:	2019-04-04	Last revised date:	2022-12-29
Product No.:		SDS-ID:	GB-EN/9.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties			
Form:	Liquid.		
<u>Colour:</u>	Yellow.		
Odour:	Characteristic, mineral oil		
<u>pH:</u>	not available		
Melting point / freezing point:	Not determined.		
Boiling point:	not available		
Flash point:	250 °C (COC)		
Evaporation rate:	Not determined.		
Flammability (solid, gas):	Not determined.		
Explosive limits	not available		
Vapour pressure:	not available		
Vapour density:	Not determined.		
Relative density:	0,878 @15 °C		
Solubility:	insoluble in water		
Partition coefficient (n- octanol/water):	Not determined.		
<u>Auto-ignition</u> temperature (°C):	Not determined.		
Decomposition temperature (°C):	not available		
Viscosity:	35 mm²/s (40°C)		
Explosive properties:	Non-explosive		
Oxidising properties:	Non-oxidising		
9.2. Other information			
Other data:	PCA % (IP 346) <3 %		

Product name:	Omega 907	Page:	7/11
Supersedes date:	2019-04-04	Last revised date:	2022-12-29
Product No.:		SDS-ID:	GB-EN/9.0

SECTION 10: STABILITY AND REACTIVITY			
10.1. Reactivity			
Reactivity:	Not reactive.		
10.2. Chemical stability			
<u>Stability:</u>	Stable under normal temperature conditions.		
10.3. Possibility of hazardous i	10.3. Possibility of hazardous reactions		
Hazardous Reactions:	None known.		
10.4. Conditions to avoid			
Conditions to avoid	Avoid heat.		
10.5. Incompatible materials			
Incompatible materials:	Strong oxidising substances.		
10.6. Hazardous decomposition products			
Hazardous decomposition products:	Carbon monoxide (CO).		

Product name:	Omega 907	Page:	8/11
Supersedes date:	2019-04-04	Last revised date:	2022-12-29
Product No.:		SDS-ID:	GB-EN/9.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

The harmful effects may increase in used oil.

Acute Toxicity (Oral):	Based on available data, the classification criteria are not met.
Acute Toxicity (Dermal):	Based on available data, the classification criteria are not met.
Acute Toxicity (Inhalation):	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.
<u>Respiratory or skin</u> sensitisation:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive Toxicity:	Based on available data, the classification criteria are not met.
STOT - Single exposure:	Based on available data, the classification criteria are not met.
STOT - Repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Inhalation:	Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing. Prolonged or repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.
Skin contact:	Degreasing. Prolonged or frequent contact may cause redness, itching, irritation, eczema, skin cracking and oil acne.
Eye contact:	Splashes may irritate.
Ingestion:	May irritate and cause malaise.
11.2. Information on other haz	ards
Endoaring diarunting	The product does not contain any substance identified as heaving endeering

Endocrine disruptingThe product does not contain any substance identified as having endocrine
disrupting properties.

Product name:	Omega 907	Page:	9/11
Supersedes date:	2019-04-04	Last revised date:	2022-12-29
Product No.:		SDS-ID:	GB-EN/9.0
SECTION 12: ECOLOGIC	AL INFORMATION		
12.1. Toxicity			
Ecotoxicity:	Oil spills are generally hazardous to the enviro	nment.	
12.2. Persistence and degrada	ability		
Degradability:	The product is expected to be slowly biodegra	dable.	
12.3. Bioaccumulative potentia	al		
Bioaccumulative potential:	No data available on bioaccumulation.		
12.4. Mobility in soil			
Mobility:	The product is insoluble in water and will sprea	ad on the water surface.	
12.5. Results of PBT and vPvB assessment			
<u>PBT/vPvB:</u>	This product does not contain any PBT or vPv	B substances.	
12.6. Endocrine disrupting properties			
Endocrine disrupting properties:	The product does not contain any substance in disrupting properties.	dentified as having endoo	crine
12.7. Other adverse effects			
Other adverse effects:	None known.		
SECTION 13: DISPOSAL	CONSIDERATIONS		
13.1 Waste treatment methods			
Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.			

Waste from residues:	EWC-code: 13 02 05
Contaminated packaging:	Dispose of contaminated packings as residue. EWC-code: 15 01 10

Product name:	Omega 907	Page:	10/11
Supersedes date:	2019-04-04	Last revised date:	2022-12-29
Product No.:		SDS-ID:	GB-EN/9.0

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

14.1. UN number

UN-No:

14.2. UN proper shipping name

Proper Shipping Name:

14.3. Transport hazard class(es)

Class:

14.4. Packing group

<u>PG:</u>

14.5. Environmental hazards

Marine pollutant:

Environmentally Hazardous

substance:

14.6. Special precautions for user

<u>Special precautions:</u> None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>National regulation:</u>	UK Statutory Instruments, 2021 No. 904, CONSUMER PROTECTION ENVIRONMENTAL PROTECTION HEALTH AND SAFETY. The REACH etc. (Amendment) Regulations 2021. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 720), as amended. The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments
	2677) with amendments. EH40/2005, Workplace exposure limits 2005, with amendments. The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status:

No chemical safety assessment has been carried out.

Product name:	Omega 907	Page:	11/11
Supersedes date:	2019-04-04	Last revised date:	2022-12-29
Product No.:		SDS-ID:	GB-EN/9.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions. Handling of used oils:

Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. Contact your local authority for any used oil disposal instructions.

The following sections contain revisions or new statements: 1, 2, 3, 4, 7, 8, 9, 10, 11, 12, 13, 15, 16.

Omega Manufacturing Division 13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108 Tel : +82-2-2088-3560 Fax : +82-2-513-3567 Web site : www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

Abbreviations and acronymsCSA= Chemical Safety Assessment.used in the safety data sheet:PBT = Persistent, Bioaccumulative and Toxic.vPvB = very Persistent and very Bioaccumulative.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.